


v1.0

# BROSA




**ASSEMBLY GUIDE**


## Evelyn 3-Seater Chaise

# Components

Upon unpacking your chaise from its delivery box, you should have two separate components (two bodies of the chaise - left body and right body). Additional components are packed inside the bodies, you will learn how to access and utilise these components in the next steps.



Left body




Right body

Chaise bodies x 2


# Unpacking

Starting with the left body of the chaise, turn it so that the underside is facing you. Follow the coloured string to the component compartment. Unzip this and take out the additional components, then zip it back up.




# Step 1

Align a leg (A) so that the screw slot is facing inward. Fit a washer (C) to a bolt (B) and use them to fit the leg onto the body of the chaise. Turn the bolt with the allen key (D) until it is secure but do not tighten yet. Repeat for all four legs.




# Step 2

Screw the center leg (E) it into it's corresponding slot in the middle of the sofa and tighten.




## Step 3

Lift the chaise off the ground and turn it right side up while being careful not to put any pressure on the legs while you turn the chaise.




## Step 4

Place the chaise on a flat surface, then sit on the chaise and shift your weight around until the legs are level and the chaise does not rock. Then use the allen key (D) to tighten all the bolts. Now that is the left body of your chaise complete.



# Components


We are now moving onto the assembly of the second component, the right body of your 3 seater chaise.



**Right body**


# Unpacking

With the right body of the chaise, turn it so that the underside is facing you. Follow the coloured string to the component compartment. Unzip this and take out the additional components, then zip it back up.




# Step 1

Align a leg (A) so that the screw slot is facing inward. Fit a washer (C) to a bolt (B) and use them to fit the leg onto the body of the chaise. Turn the bolt with the allen key (D) until it is secure but do not tighten yet. Repeat for all four legs.




# Step 2

Lift the chaise off the ground and turn it right side up while being careful not to put any pressure on the legs while you turn the chaise.




## Step 3

Place the chaise on a flat surface, then sit on the chaise and shift your weight around until the legs are level and the chaise does not rock. Then use the allen key (D) to tighten all the bolts. Now that is the right body of your chaise complete.



## Step 4

There are two brackets on the joining sides of the two components. Slot the brackets into each other to join the chaise together. Enjoy your new chaise!



# Step 5

Enjoy your new chaise!

