

v1.0

BROSA




ASSEMBLY GUIDE

Elizabeth Lamp Table

Components

Upon unpacking your lamp table from its delivery box, you should have the separate pieces shown below. Follow the steps on the next pages to assemble your new lamp table.



Hardware



A x 4
Spec: M8 x 40mm



B x 4
Spec: Ø8.4 x 17 1.6mm



C x 4
Spec: Ø8.4 x 2mm



D x 4
Spec: Ø7 x 49.5mm






E x 4
Spec: Ø8 x 8.5mm




F x 1
Spec: M4

What you need




Step 1

Insert a steel dowel (D) into the hole in each leg (3 & 4) making sure that it is facing the correct direction.



Step 2

Align a leg (3) to the underside of the table (1). Fit a lock washer (C) to a bolt (A) followed by a flat washer (B) and screw into the hole using the allen key (F) to tighten in place.



Step 3


A x 1

B x 1


C x 1

E x 2

F x 1

3.1 Align the shelf (2) to the structure formed in Step 2 making sure the steel dowel (D) protruding from the leg (3) fits into the shelf (2). With another person holding the shelf (2) align a leg (3) to the underside of the table (1) and the shelf (2). Fit a lock washer (C) to a bolt (A) followed by a flat washer (B) and screw into the hole using the allen key (F) to tighten in place.

3.2 Insert a grub screw (E) in both holes and secure in place using a pozi screwdriver.



Step 4


A x 2

B x 2


C x 2

E x 2

F x 1

4.1 Align a leg (4) to the underside of the table (1) and the shelf (2). Fit a lock washer (C) to a bolt (A) followed by a flat washer (B) and screw into the hole using the allen key (F) to tighten in place. Repeat the process for the other leg (4).

4.2 Insert a grub screw (E) in both holes and secure in place using a pozi screwdriver.



Step 5

Gently lift the table and place upright on a level surface.
Enjoy your new lamp table!

